DIAGNOSTICS, INSPECTION & LOCATING

MINPak Monitor



Features

- Lithium-Ion Battery Power Enables 5-hours continuous operation before recharging.
- Push Button Interface Provides easy operation of LED lights, transmitter, screen settings and system on/off functions.
- Integrated Line Tracing Allows tracing the reel push cable with a RIDGID* locator (requires a RIDGID transmitter).

Specifications

. 5.7" Colour LCD.
. 320 x 240.
. RIDGID 18 V Li-Ion Battery or AC Plug.
. 14" (35,6 cm).
. 7.6" (19,3 cm).
. 10" (25,4 cm).
. Composite Video Out.
. 10 Level Adjustable LED Control.
. Optional recording accessories available.

Ordering Information

	Catalog No.	Description	Weight	
	230V		lb.	kg
Γ	32688	MINI <i>Pak</i> Monitor Only	3.9	1,8
L	32953	MINIPak Monitor w/Battery and Charger	7.9	3,6

DIAGNOSTICS, INSPECTION & LOCATING

CS10 Digital Recording Monitor

NEW





The CS10 Monitor combines RIDGID* durability with the easiest to use digital recording monitor in the industry. One touch recording allows you to record snapshots and video directly to a USB stick then hand it directly to your customer.

- USB Stick recording lets you record digitally into a format that your customer can read on their computer.
- 12.1" Daylight Readable Display allows you to easily monitor and record inspections in bright outdoor environments.
- Integrated Line Tracing Allows tracing the reel push cable with a RIDGID locator (requires a RIDGID transmitter).
- Multi Mode Recording lets you take snapshots, record full frame video, and record in a lean video format called Auto-log (small files).
- **Software Integrations** with SeeSnake HQ™ allow you to deliver your inspections in a wide array of formats from online to DVD.

Specifications

Weight	13 lbs. (5,9 kg).
Length	14.3" (36,3 cm).
Width	11.9" (30,2 cm).
Height	12.4" (31,5 cm).
Display	12.1" Daylight Readable LCD.
Resolution	640 x 480.
Power Source	1 or 2 RIDGID 18 V Batteries or AC Plug.
Audio	Integrated Microphone and Speaker.
Video	AVI 20FPS - 720 x 480.
Image	JPG - 720 x 480.
Transfer	USB stick.
Software	Includes SeeSnake HQ Software.

Ordering Information

	Catalog	Dinti		Weight	
	No.	Description	lb.	kg	
Γ	39333	CS-10 Digital Recording Monitor	13	5,9	
	39343	CS-10 Monitor w/2 Batteries and Charger	15.8	7,17	

DIAGNOSTICS, INSPECTION & LOCATING

CS1000 Digital Recording Monitor

NEW





The CS1000 camera control unit is a purpose-built monitor that allows you to digitally record and report on your inspections in the field. With the CS1000, you have the flexibility you need to take full advantage of digital recording technology.

Features

Read Writer gives you the ability to generate and deliver a full report on-site with integrated inspection footage and descriptions.

12.1" Daylight Readable Display allows you to easily monitor inspections in bright outdoor environments.

Integrated Line Tracing allows tracing the reel push cable with a RIDGID* locator (requires a RIDGID transmitter).

Three Modes of Recording let you take digital stills, full frame video and a compressed video format called Auto-log (for smaller video files).

Integrated Keyboard for taking notes and storing information about the inspection and customer. The keyboard is available in QWERTY or AZERTY format.

SeeSnake HQ™ Software (included) allows you to deliver your reports in a wide variety of ways from online video to DVD.

- Report on and deliver inspection results with this powerful software package.
- Simply import your inspections from your CS1000 into SeeSnake HQ via USB stick.
- · Edit video and images.
- Burn digital images to DVD.
- Develop detailed job reports.
- Publish, edit and share your reports.

Specifications

Weight	.14.75 lbs. (6,7 kg).
Length	.14.3" (36,3 cm).
Width	.11.9" (30,2 cm).
Height	.12.4" (31,5 cm).
Display	.12.1" Daylight Readable LCD.
Resolution	.640 x 480.
Power Source	.1 or 2 RIDGID 18 V Batteries or AC Plug.
Audio	.Integrated Microphone and Speakers.
Video	.AVI 20FPS - 720 x 480.
Image	.JPG - 720 x 480.
Transfer	.USB stick.

Ordering Information

Catalog	Description		Weight	
No.	Description	lb.	kg	
33058	CS1000 QWERTY digital Recording Monitor	14.75	6,7	
33063	CS1000 QWERTY Monitor with 2 Batteries and 1 Charger	20.75	9,4	
34873	CS1000 AZERTY Digital Recording Monitor	14.75	6,7	
34918	CS1000 AZERTY Monitor with 2 Batteries and 1 Charger	20.75	9,4	