

DRAIN CLEANING

K-45AF Sink Machine



The 3/8" (10 mm) cable in Model K-45AF-5 extends machine's capacity to 2 1/2" (75 mm) drain lines.



Model K-45AF quickly opens clogged tub lines. Advance and retrieve cable without reversing motor.

For 3/4" (20 mm) to 2 1/2" (75 mm) Drain Lines

- Excellent for small line cleaning. Opens clogged lavatory, sink lines, urinals, and tub/shower drains.
- 1/4" (6 mm) cables best for 3/4" (20 mm) to 1 1/2" (40 mm) lines.
- 5/16" (8 mm) cables best for 3/4" (20 mm) to 1 1/2" (40 mm) lines.
- 3/8" (10 mm) cables best for 1 1/4" (30 mm) to 2 1/2" (75 mm) lines.
- Advanced two-way AUTOFEED™ keeps hands and work area clean – advances & retrieves cable with push of a lever.
- Lightweight, easy-to-use, no setup required.
- Variable speed power unit rotates cable 0-600 RPMs.
- Two-piece twist lock canister with interchangeable inner drum.
- Makes cable changeout simple; easy to match the right cable to the job.
- Inner drum prevents water leaks and greatly reduces cable flip-over inside the drum.
- Drums won't rust or dent – ever.
- Drum Capacity: 50' (15 m) of 5/16" (8 mm) or 35' (11 m) of 3/8" (10 mm).
- Includes RIDGID® drain cleaning gloves and operator's manual.

Catalog No.		Model No.	Description	Weight	
110 V (UK)	230 V*			lb.	kg
37338	36033	K-45AF	Machine with: – C-11C, 5/16" (8 mm) x 25' (7,6 m) Inner Core Cable w/Inner Drum	13,8	6,5
37343	36043	K-45AF-5	Machine with: – C-11C, 5/16" (8 mm) x 25' (7,6 m) Inner Core Cable w/Inner Drum – C-6, 3/8" (10 mm) x 25' (10,7 m) Cable w/Inner Drum – T-250, Five-Piece Tool Set for 3/8" (10 mm) Cable – C-6429 Carrying Case	34	15,4

*230 V units equipped with CEE 7/17 Euro plug.



Inner Core Cables

(Models C-1IC, C-6IC, C-13IC, C-2IC, C-23IC)

- Vinyl-wrapped inner core to prevent core from rusting to spring – enhances cable life.
- Compression wound for strength.
- Resists kinking; negotiates tough bends and traps.
- Provides good flexibility and cleaning power to the cable end.

Cables

	Catalog No.	Model No.	Description	Weight	
				lb.	kg
1/4" (6 mm)	50647	S-1	15' (4,6 m) with Funnel Auger	2 1/4	1,0
	50652	S-2	25' (7,6 m) with Funnel Auger	3 1/2	1,6
	50657	S-3	35' (10,7 m) with Funnel Auger	5	2,2
3/8" (8 mm)	62225	C-1	25' (7,6 m) with Bulb Auger	3 1/2	1,6
	56782	C-11C	25' (7,6 m) Inner Core w/Bulb Auger	4	1,8
	89400	C-21	50' (15,2 m) Inner Core with Bulb Auger	7	3,2
	56792	C-13IC	35' (10,7 m) Inner Core with Bulb Auger	5 1/2	2,5
	62235	C-2	25' (7,6 m) with Drop Head Auger	3 1/2	1,6
	56787	C-2IC	25' (7,6 m) Inner Core w/Drop Head Auger	4	1,8
3/8" (10 mm)	89405	C-22	50' (15,2 m) with Drop Head Auger	7	3,2
	56797	C-23IC	35' (10,7 m) Inner Core with Drop Head Auger	5 1/2	2,5
	62245	C-4	25' (7,6 m) with Male Coupling	4 1/2	2,0
	62250	C-5	35' (10,7 m) with Bulb Auger	8 1/4	3,8
	62260	C-6	35' (10,7 m) with Male Coupling	8 1/4	3,8
	96037	C-6IC	35' (10,7 m) Inner Core with Male Coupling	8 1/2	4,0



K-45AF-5 shown above includes T-250 Tool Set:

- T-203 Bulb Auger.
- T-217 Drop Head Auger.
- T-205 "C" Cutter.
- A-13 Pin Key.
- T-210 Spade Cutter.

Tools – Fits C-4, C-6 and C-6IC Cables

	Catalog No.	Model No.	Description	Replacement Blade(s)
	62990	T-201	Straight Auger, 5" (125 mm) Long	–
	62995	T-202	Bulb Auger, 1 1/8" (30 mm) O.D.	–
	63000	T-203	Bulb Auger, 7/8" (22 mm) O.D.	–
	54837	T-204	"C" Cutter 1" (25 mm)	54832
	63005	T-205	"C" Cutter 1 3/8" (35 mm)	97835
	63010	T-206	Funnel Auger, 3" (80 mm) Long	–
	63030	T-210	Spade Cutter, 1" (25 mm)	97905
	63035	T-211	Spade Cutter, 1 3/8" (35 mm)	97825
	63040	T-212	Spade Cutter, 1 3/4" (45 mm)	92850
	63045	T-213	4-Blade Cutter, 1" (25 mm)	97795
	63050	T-214	4-Blade Cutter, 1 3/8" (35 mm)	97910
	63055	T-215	4-Blade Cutter, 1 3/4" (45 mm)	97915
	63065	T-217	Drop Head Auger, 4" (110 mm) Long	–
	55457	T-225	Retrieving Auger	–
	52812	T-230	H-D "C" Cutter, 2" (50 mm)	92815
	52817	T-231	H-D "C" Cutter, 2 1/2" (65 mm)	92820
	52822	T-232	H-D "C" Cutter, 3" (80 mm)	92835
	48482	T-250	Tool Set includes: T-203, T-205, T-210, T-217, A-13	–



The drum front and inner drum makes changing cables quick and easy.

Accessories

Catalog No.	Model No.	Description
68917		K-45 Inner-Drum
89410	C-6429	Carrying Case
76817		C-6 Cable Kit incl. Inner Drum, C-6 Cable Torque Arm, T-250 Tool Set
98072		C-6IC Cable Kit including: Inner Drum, C-6IC Cable, Torque Arm, T-250 Tool Set
23908	A-45AF	Drum Front and AUTOFEED Assembly
23913		Replacement AUTOFEED Cartridge
41937	–	RIDGID Leather Drain Cleaning Gloves
70032	–	RIDGID PVC Drain Cleaning Gloves

DRAIN CLEANING

K-40 Sink Machine

For 3/4" (20 mm) to 2 1/2" (75 mm) Drain Lines

The Model K-40 Sink Machine is ideal for cleaning small secondary drain lines from 3/4" (20 mm) to 2 1/2" (75 mm).

- 1/4" (6 mm) cables best for 3/4" (20 mm) to 1 1/2" (40 mm) lines.
- 5/16" (8 mm) cables best for 3/4" (20 mm) to 1 1/2" (40 mm) lines.
- 3/8" (10 mm) cables best for 1 1/4" (40 mm) to 2 1/2" (75 mm) lines.

The K-40 sits flat on the floor or countertop and also tips onto its back for easy access to sink drains and bathtubs full of water. The K-40 practically eliminates job site clean-up thanks to the patented Guide Hose two-way AUTOFEED®. It completely contains the rotating cable and eliminates any waste water splashing or spraying.

- 175 W induction motor quietly delivers enough torque to clear even the toughest blockages.
- Premium-quality, compression-wound inner core cable combines strength and flexibility to resist kinking.
- Two-piece "twist lock" drum housing will not dent or corrode and allows easy access to the inner drum and cable.
- Special inner drum design virtually eliminates cable flip-over inside the drum and drum leakage.
- Two-way AUTOFEED advances and retrieves the drain cleaning cable with a simple push of a lever keeping you and the work area clean.
- Includes RIDGID® drain cleaning gloves and operator's manual.



Model K-40AF



Model K-40AF in vertical position

Catalog No.	Model No.	Description	Weight	
			lb.	kg
71742	K-40AF	Machine with: – AUTOFEED – Guide Hose – Mounting Bracket – C-131C-SB, 5/16" (8 mm) x 35' (10,7 m) Speed Bump Cable w/ Inner Drum	33	15

The Model K-40 makes the job easier and keeps the work site clean.








Down the sink: Press the lever and the cable feeds into the drain. Unique Guide Hose and AUTOFEED® combination keeps you right on top of the problem.












In the tub: Compact design allows easy access to hard-to-get-to areas like bathtubs and under-sink cabinets, while keeping the cable contained and away from all finished surfaces.

Cables

	Catalog No.	Model No.	Description	Weight		
				lb.	kg	
1/4" (6 mm)	 Funnel Auger	50647	S-1	15' (4,6 m) with Funnel Auger	2 1/4	1,0
		50652	S-2	25' (7,6 m) with Funnel Auger	3 1/2	1,6
		50657	S-3	35' (10,7 m) with Funnel Auger	5	2,2
5/16" (8 mm)	 Bulb Auger	62225	C-1	25' (7,6 m) with Bulb Auger	3 1/2	1,6
		56782	C-11C	25' (7,6 m) Inner Core with Bulb Auger	4	1,8
		89400	C-21	50' (15,2 m) with Bulb Auger	7	3,2
		56792	C-131C	35' (10,7 m) Inner Core with Bulb Auger	5 1/2	2,5
		95847	C-131CSB	35' (10,7 m) Inner Core Speed Bump with Bulb Auger	5 1/2	2,5
3/8" (10 mm)	 Drop Head	62235	C-2	25' (7,6 m) with Drop Head Auger	3 1/2	1,6
		56787	C-21C	25' (7,6 m) Inner Core with Drop Head Auger	4	1,8
		89405	C-22	50' (15,2 m) with Drop Head Auger	7	3,2
		56797	C-231C	35' (10,7 m) Inner Core with Drop Head Auger	5 1/2	2,5
3/8" (10 mm)	 	62245	C-4	25' (7,6 m) with Male Coupling	4 1/2	2,0
		62250	C-5	35' (10,7 m) with Bulb Auger	8 1/4	3,8
		62260	C-6	35' (10,7 m) with Male Coupling	8 1/4	3,8
		96037	C-61C	35' (10,7 m) Inner Core with Male Coupling	8 1/2	4,0

Tools – Fits C-4, C-6 and C-61C Cables

	Catalog No.	Model No.	Description	Replacement Blade(s)
  	62990	T-201	Straight Auger, 5" (125 mm) Long	–
	62995	T-202	Bulb Auger, 1 1/8" (30 mm) O.D.	–
	63000	T-203	Bulb Auger, 7/8" (22 mm) O.D.	–
	54837	T-204	"C" Cutter 1" (25 mm)	54832
	63005	T-205	"C" Cutter 1 1/8" (35 mm)	97835
	63010	T-206	Funnel Auger, 3" (80 mm) Long	–
	63030	T-210	Spade Cutter, 1" (25 mm)	97905
	63035	T-211	Spade Cutter, 1 3/8" (35 mm)	97825
	63040	T-212	Spade Cutter, 1 3/4" (45 mm)	92850
	63045	T-213	4-Blade Cutter, 1" (25 mm)	97795
	63050	T-214	4-Blade Cutter, 1 1/8" (35 mm)	97910
	63055	T-215	4-Blade Cutter, 1 3/4" (45 mm)	97915
	63065	T-217	Drop Head Auger, 4" (110 mm) Long	–
	55457	T-225	Retrieving Auger	–
	52812	T-230	H-D "C" Cutter, 2" (50 mm)	92815
	52817	T-231	H-D "C" Cutter, 2 1/2" (65 mm)	92820
	52822	T-232	H-D "C" Cutter, 3" (80 mm)	92835
	48482	T-250	Tool Set includes: T-203, T-205, T-210, T-217, A-13	–

Accessories

Catalog No.	Model No.	Description
26558	A-40G AF	AUTOFEED Assembly & Guide Hose for K-40 includes mounting bracket
23913	–	Replacement AUTOFEED Cartridge
71757	A-40G	Guide Hose
72702	A-40B	Mounting Bracket
71847	–	Torque Arm
68917	–	Inner Drum
76597	–	Top Roller Bearing Housing Assy.
76817	–	C-6 Cable Kit including Inner Drum, C-6 Cable, Torque Arm, T-250 Tool Set
98072	–	C-61C Cable Kit including Inner Drum, C-61C Cable, Torque Arm, T-250 Tool Set
41937	–	RIDGID Leather Drain Cleaning Gloves
70032	–	RIDGID PVC Drain Cleaning Gloves