

# SECURE JOBSITE STORAGE

RIDGID® jobsite storage solutions have the strongest work ethic around – and the smartest. Not only does every box, chest and cabinet cause tool thieves to strongly reconsider, but RIDGID jobsite storage solutions also provide easier access, better organisation, easy mobility and versatility.



## MONSTER BOX™

These boxes offer maximum security, weight capacity and organisation. They can also be easily transported to the highest floor with our exclusive four-point crane lift system.

*See pages 13.4 - 13.5*



## STORAGEMASTER® Chests

STORAGEMASTER Chests are the workhorses on any jobsite. They are ideal for every trade including mechanical, plumbing, HVAC, electrical, rough and finish carpentry. They're caster-ready and include full-width shelves for organisation of small to large tools and supplies. Model 91 even features a drop-down ramp for loading large, heavy items.


*See pages 13.6 - 13.7*



## JOBMASTER® Chests

Available in multiple models, these chests are the jack-of-all tradesmen applications. They're versatile and portable, especially with accessory casters, and hold anything from hand and power tools to compressors.

*See pages 13.8 - 13.9*





## JOBMASTER® Cabinets

JOBMASTER Cabinets are incredibly secure and configurable for any need. They act as a remote tool store and offer “glance and grab” organisation.

See pages 13.10 - 13.11



## STORAGEMASTER® Rolling Benches

These rolling work benches are secure storage on wheels. The heavy-duty top works great as a work surface and for mounting pipe threaders or vises.

See pages 13.12 - 13.13



## RIDGID® Field Stations

Field Stations serve as your jobsite office. Use to securely store tools, supplies, documents and more.

See pages 13.14 - 13.15



## RIDGID Security? It is locked in.

All RIDGID storage systems, except for the MONSTER BOX series, are designed for use with the ABUS 41/50 or equivalent sized lock system.

- The WATCHMAN® IV Lock System, with recessed housing, prevents bolt-cutter break-ins.
- One-time lock installation means no downtime replacing locks.
- Three latch, dead bolt style locking system for ultimate security.

ABUS 41/50 Laminated Padlock (Cat. No. 73626)



## SECURE JOBSITE STORAGE

# RIDGID® MONSTER BOX® Storage Systems

### What Makes a MONSTER BOX a Monster?



Exclusive heavy-duty tubular steel frame, an industry first, provides structural rigidity and strength and “caps” the lid for more security.



Four-point crane lift system facilitates center-point rigging to hoist more safely than with two-point/bar lift systems and provides 1.100 kg gross weight load capacity.



Integrated recessed lock is a drill-resistant, weather-resistant lock making it virtually impervious to drilling and pry-in.†



Heavy-duty hinges are extra durable and resist pry-ins.



Power Pass™ electrical pass-through grommet provides easy, weatherproof power cord access to allow battery charging when the box is closed.



Exclusive non-linear three-point latching system incorporates a recessed handle that operates the hook lock, while the other two latching points function as dead bolts.

*1. RIDGID encourages the registration of product and key codes for replacement keys. Keys cannot be duplicated and will be sold only to the registered owner. Boxes can be keyed alike upon request.*

# SECURE JOBSITE STORAGE

**Model 1000 PianoBox**



- Gas spring guards protect springs from shifting-load damage.
- Two shelves for extra storage and organisation.
- Interior storage grid for hanging safety gear and other items.
- Two recessed handles for safe closing, even with gloves on.

**Model 1010 Chest**



- Deep cover design for strength and security.
- Heavy-duty single cover support for easy closing.

**Model 1020 Cabinet**



- Top shelf is 267 mm from top of cabinet lip, second shelf measures 190 mm from bottom of top shelf. The bottom shelf is adjustable for easy storage of bulky items.
- Low centre of gravity provides stability.
- Open design, without center post, for maximum storage and accessibility.
- Weather-sealed doors for improved weather resistance.

Catalog No.	Model No.	Dimensions (mm)				Capacity	Weight (kg)
		Length	Depth	Height 1	Height 2	m <sup>3</sup>	
30293	1000	1680	762	1380	2048	1,36	184
30298	1010	1680	762	910	1502	0,88	130
30308	1020	1680	762	1380	—	1,47	182

## SECURE JOBSITE STORAGE

# STORAGEMASTER® Chest Storage Systems



Nothing works harder or smarter than STORAGEMASTER Chests when it comes to secure jobsite storage, durability and ease of use. Consider these key features when you're looking for an ultrarugged piano box.

- WATCHMAN® IV Lock System with 3-point latching and recessed lock housing for the ultimate protection against pry-ins. One-time lock installation means no downtime replacing locks.
- Power Pass™ electrical pass-through grommet for easy weatherproof power cord access.
- Reinforced Lock Housing provides unbeatable strength.
- Heavy-duty hinges are staked and welded to stand up to any amount of prying.
- Recessed handles for positive gripping even with a gloved hand.
- Powder coat finish for weather resistance and durability.
- Dual gas springs allow one-handed easy opening.
- Protected gas springs to prevent damage from shifting loads.
- Caster-ready 2,66 mm steel skids to accommodate optional casters for greater mobility (see page 13.16).
- Heavy-duty 1,52 mm steel construction with fully arc-welded seams.




# SECURE JOBSITE STORAGE

**Model 91 Chest**



**Model 69 Chest**



**Model 89 Chest**




Features a built-in, 12-gauge steel ramp to make loading large, bulky items easy.



When cover is closed, Model 69 chest can be used as a work table.

**Model 79 Chest**



## Accessory Shelf Doors



Accessory shelf doors allow you to have the best of both worlds. Keyed doors create a secure area while allowing the chest to remain open during the work day.

Catalog No.	Model No.	Fits
74756	479	79
74766	489	89
74776	491	91

Catalog No.	Model No.	Dimensions (mm)				Capacity m <sup>3</sup>	Weight (kg)
		Length	Depth	Height 1	Height 2		
28111	69	1524	762	956	1692	1,00	128
28121	79	1219	762	1260	1997	1,08	130
28131	89	1524	762	1260	1997	1,35	153
28151	91	1829	762	1260	1997	1,63	186

## SECURE JOBSITE STORAGE

# JOBMASTER® Chest Storage Systems



Security and durability to go. JOBMASTER® Chests are tool storage solutions that are as easy to handle as they are tough.

They're compact enough to be lifted and moved around the jobsite or into a work vehicle with minimal effort. Yet, JOBMASTER Chests include all the same security features as STORAGEMASTER® Chests.

- WATCHMAN® IV Lock System with 3-point latching and recessed lock housing for the ultimate protection against pry-ins. One-time lock installation means no downtime replacing locks.
- Power Pass™ electrical pass-through grommet for easy weatherproof power cord access.
- Reinforced Lock Housing provides unbeatable strength.
- Heavy-duty hinges are staked and welded to stand up to any amount of prying.
- Recessed handles for positive gripping even with a gloved hand.
- Powder coat enamel finish for weather resistance and durability.
- Caster-ready 2,66 mm steel skids to accommodate optional casters for greater mobility (see page 13.16).
- Heavy-duty 1,52 mm steel construction with fully arc-welded seams.


# SECURE JOBSITE STORAGE

**Model 32 Chest**  
Closed Height: 480 mm




• Does not have 3-point latch or Power Pass™.

**Model 36 Chest**  
Closed Height: 560 mm



• Does not have 3-point latch or Power Pass™.

**Model 42 Chest**  
Closed Height: 610 mm



**Model 4824 Chest**  
Closed Height: 735 mm




**Model 4830 Chest**  
Closed Height: 890 mm



**Model 2472 Chest**  
Closed Height: 735 mm



**Model 60 Chest**  
Closed Height: 735 mm



Catalog No.	Model No.	Dimensions (mm)				Capacity m <sup>3</sup>	Weight (kg)
		Length	Depth	Height 1	Height 2		
28001	32	815	485	480	889	0,14	38
28011	36	915	485	498	965	0,20	44
28021	42	1070	485	549	1016	0,25	52
28031	4824	1220	610	676	1267	0,45	72
28041	4830	1220	765	829	1572	0,71	88
28051	2472	1830	610	676	1267	0,69	98
28061	60	1525	610	676	1267	0,57	86



## SECURE JOBSITE STORAGE

### JOBMASTER® Cabinet Storage Systems



No matter how big the job, roomy JOBMASTER Cabinets work. They provide at-a-glance, easy access shelving storage for small, big and in-between tools, equipment and supplies. Optional accessories like casters and door shelves create custom solutions that work even harder.

- WATCHMAN® IV Lock System with 3-point latching and recessed lock housing for the ultimate protection against pry-ins. One-time lock installation means no downtime replacing locks.
- Convenient foot latch opens the doors when you step on it, allowing hands-free operation. One person can open the doors even with an arm full of tools.
- Deep door design for maximum pry-bar resistance and better tool organisation.
- Recessed handles for positive gripping even with a gloved hand.
- Powder coat finish for weather-resistance and durability.
- Caster-ready 2,66 mm steel skids to accommodate optional casters for greater mobility (see page 13.16).
- Heavy-duty 1,52 mm steel construction with fully arc-welded seams.
- Optional door shelves allow for greater organisation (see page 13.16).

# SECURE JOBSITE STORAGE

## Model 112 Cabinet



- Includes: Three 64 mm deep drawers with 22,5 kg load capacity, four 150 mm drawers with 34 kg load capacity.
- Powder-coated drawers roll on ball bearing slides.
- Full top shelf for more storage.
- Shelf spacing from top down: 330, 317, 241, 502 mm.
- Ability to add accessory door shelves (see page 13.16).

## Model 111 Cabinet



- More open space for large items.
- Half-width shelves on left side only.
- Top shelf is 330 mm from top of cabinet, second shelf is 317 mm from top shelf, bottom shelf is 241 mm from second shelf.
- Ability to add accessory door shelves (see page 13.16).

## Model 139 Cabinet



- Full-length shelves allow you to organise longer items.
- Top shelf is 355 mm from top of cabinet, second shelf measures 250 mm from bottom of top shelf.
- Adjustable bottom shelf.
- Ability to add accessory door shelves (see page 13.16).

## Model 100 Cabinet



- Included casters allow one person to manoeuvre the closed cabinet through a jobsite.
- 1,52 mm fully arc-welded steel construction.
- Load capacity: 544 kg evenly distributed.
- Vertical storage area features a bracket for hanging extension cords or tool belts.

Catalog No.	Model No.	Dimensions (mm)			Capacity m <sup>3</sup>	Weight (kg)
		Length	Depth	Height 1		
28161	100	1524	762	1743	1,72	213
28181	111	1524	610	1540	1,34	175
28191	112	1524	762	1540	1,55	209
28221	139	1524	762	1540	1,68	202

## SECURE JOBSITE STORAGE

### STOREMASTER® Rolling Work Benches



Sturdy. Mobile. Secure. STOREMASTER Rolling Work Benches carry the load in more ways than one. They're not only load-rated for a half-ton, but they're efficiency centres on the jobsite, providing handy work surfaces and organised storage that go wherever work needs to be done.

- WATCHMAN® IV Lock System with 3-point latching and recessed lock housing for the ultimate protection against pry-ins. One-time lock installation means no downtime replacing locks.
- Heavy-duty steel construction with fully arc-welded seams.
- Full-length staked piano hinges resist pry-ins.
- Powder coat finish for weather resistance and durability.

**CAUTION:**

Caster brakes are not suitable for keeping the units in place when transporting. Secure by another method. Do not use casters on rough or uneven surfaces. Do not tow caster-mounted boxes.

#### Model 49 Work Bench




- Includes:
  - (3) Model 471-3 drawers.
  - (4) Model 472-3 drawers.
  - (1) Model 476-3 drawers.
  - (1) Model 477-3 shelf.
  - (1) 150 mm caster set.
- Load Capacity: 345 kg.

# SECURE JOBSITE STORAGE

## Model 62 Work Bench


Got a challenge? This big boy is up for it, with an ability to accommodate over 2,5 tons of whatever you want to load into it. Its large, 1,2 m<sup>2</sup> work area and lower working height make it easier to get the job done.

- WATCHMAN® IV Single Lock System.
- Three doors in front and three in back for the ultimate accessibility.
- 2,66 mm steel body, fully arc-welded.
- 4,5 mm steel work top and bottom panel.
- Standard drawer capacity is 45 kg, heavy-duty drawer capacity is 90 kg.
- Includes:
  - (2) Model 471-3, Std.



- (1) Model 486-3, Heavy Duty Drawer.
- (1) Model 490-3, Heavy Duty Drawer.
- (1) 150 mm caster set.
- Load Capacity: 1.540 kg

## Model 47 Work Bench



- Basic unit with no drawers.
- Use this model to design your own Rolling Work Bench.
- Includes: (1) 150 mm caster set.
- Load Capacity: 510 kg.


## Design Your Own Package

It's easy to make Rolling Work Benches accommodate various jobsite situations with shelves and standard drawers or a combination of both.

- Start with Model 47.
- There are fifteen notches in the cabinet door space for mounting drawers.
- You can put together any combination of standard drawers as long as the sum of the notches doesn't exceed 15.
- All drawers come with attached glides.
- Load capacity is 45 kg each.



- 25 mm Deep Shelf.
- Model: 477-3 (88727).
- 555 mm L x 445 mm W x 25 mm H.
- Notch required: 1.



- 115 mm Deep Drawer.
- Model: 474-3 (88722).
- 560 mm L x 410 mm W x 115 mm H.
- Notches required: 3.



- 25 mm Deep Drawer.
- Model: 471-3 (88712).
- 560 mm L x 410 mm W x 25 mm H.
- Notch required: 1.



- 155 mm Deep Drawer.
- Model: 476-3 (74746).
- 560 mm L x 410 mm W x 155 mm H.
- Notches required: 4.



- 65 mm Deep Drawer.
- Model: 472-3 (88717).
- 560 mm L x 410 mm W x 65 mm H.
- Notches required: 2.

Catalog No.	Model No.	Dimensions (mm)			Load Capacity kg	Weight (kg)
		Length	Depth	Height 1		
28281	47	1175	635	953	510	104
28301	49	1175	635	953	453	160
28381	62	1575	813	864	1542	271

# SECURE JOBSITE STORAGE

## FIELD STATION 119-01



You told us. We listened. Together we've designed the best Field Station ever. New features that provide even more security and durability. New accessories to keep you organised. So, your new jobsite office is ready for business. For weather. For any challenge that comes its way.

### Standard Features

#### Security

- A. WATCHMAN® 5 Lock System features heavy-gauge double latches and a vertically mounted recessed lock that resists drill-outs, prying and cutting for superior tamper- and weather-resistance.
- B. Heavy-duty vault-style hinges. Bottom doors interlock with body to provide maximum pry-resistance.
- C. Locking storage hatch with power pass-through protects valuables while Field Station is open. Also locks in open position.

#### Durability

- D. Dual gas springs for smooth, one-handed lift. One spring locks securely in place.

#### Productivity

- E. Four-way skids allow access from any side, making it easier and faster to transport. Casters come as accessories.
- F. Adjustable and removable split shelves let you organise your storage down below.



# SECURE JOBSITE STORAGE



Catalog No.	Model No.	Dimensions (mm)			Capacity m <sup>3</sup>	Weight (kg)
		Length	Depth	Height 1		
41698	119-01	1524	1118	2096	3,42	308

## Classic Chest



- Double lock system.
- Slanted top allows easy access to contents.
- Permanently welded built-in tray.

Catalog No.	Model No.	Dimensions (mm)				Capacity m <sup>3</sup>	Weight (kg)
		Length	Depth	Height 1	Height 2		
28451	3068	1524	762	965	1510	0,88	102

# SECURE JOBSITE STORAGE

## Accessories



### 100 mm CASTERS (Cat. No. 32553)

- Model: 495 (with brakes).
- Solid Polypropylene HD.
- Load per Set: 725 kg.
- Fits Models: 32, 36, 42, 60, 69, 79, 89, 91, 2472, 3068, 4824, 4830.

### Castors

Load ratings are for all four wheels combined. Rating includes weight of RIDGID® product and its contents. Each caster set includes two rigid and two swivel casters with mounting bolts. Caster sets with brakes have the brake unit located on the swivel casters. RIDGID casters are recommended for use with RIDGID products.

### 125 mm CASTERS (Cat. No. 74796)

- Model: 505 (no brakes).
- Hard Rubber.
- Load per Set: 560 kg.
- Fits Models: 32, 36, 42, 60, 69, 79, 89, 91, 2472, 3068, 4824, 4830.

### 150 mm CASTERS (Cat. No. 30313)

- Model: 695 (with brakes).
- Solid Polypropylene HD.
- Load per Set: 1180 kg.
- Fits Models: All Models.

### 150 mm CASTERS (Cat. No. 74806)

- Model: 516 (with brakes).
- Non-marking Polyurethane.
- Load per Set: 1016 kg.
- Fits Models: All Models.

### 150 mm CASTERS (Cat. No. 88757)

- Model: 600 (with brakes).
- Phenolic HD.
- Load per Set: 1487 kg.
- Fits Models: All Models.

Caution: Caster brakes are not suitable for keeping the units in place when transporting. Secure by another method. Do not use casters on rough or uneven surfaces. Do not tow caster-mounted boxes.



### Trays

These handy lift-out trays keep tools organised and ready to go. No more digging around the bottom for what you need.

- **Model 21 (Cat No. 74706)** Fits: 2472, 4824, 60.
- **Model 41 (Cat No. 74726)** Fits: 32, 36, 42.
- **Model 31 (Cat No. 74716)** Fits: 4830.

### Shelves

Accessory shelf for the right or left inside door provides additional storage and organisation. Fits models 111, 112, 139.

- **Model 493 (Cat No. 79356)** - left.
- **Model 494 (Cat No. 79366)** - right.

## Model 250 Sliding Ladder Rack



- Fits most vehicles including enclosed trailers and Sprinter vans.
- Works with most ladders up to 240 cm including multi-position ladders.
- Includes side mounting capabilities.
- Unique tension locking system. No straps, latches or buckles required.



Catalog No.	Model No.	Weight (kg)
32588	250	12,2